

Closed Blood Sampling References

1. Tinmouth, A.T., L.A. McIntyre, and R.A. Fowler, *Blood conservation strategies to reduce the need for red blood cell transfusion in critically ill patients*. CMAJ: Canadian Medical Association journal = journal de l'Association medicale canadienne, 2008. 178(1): p. 49-57.
2. Vincent, J.L., et al., *Anemia and blood transfusion in critically ill patients*. JAMA, 2002. 288(12): p.1499-507.
3. Barth, M.D., et al., *Blood Conservation: What Is Current Blood Draw Practice?* Journal of infusion nursing: the official publication of the Infusion Nurses Society, 2013. 36(5): p. 323-328.
4. Smoller, B.R., M.S. Kruskall, and G.L. Horowitz, *Reducing adult phlebotomy blood loss with the use of pediatric-sized blood collection tubes*. Am J Clin Pathol, 1989. 91(6): p. 701-3.
5. Eyster, E. and J. Bernene, *Nosocomial anemia*. JAMA, 1973. 223(1): p. 73-4.
6. Henry, M.L., W.L. Garner, and P.J. Fabri, *Iatrogenic anemia*. Am J Surg, 1986. 151(3): p. 362-3.
7. Andrews, T., H. Waterman, and V. Hillier, *Blood gas analysis: a study of blood loss in intensive care*. Journal of advanced nursing, 1999. 30(4): p. 851-7.
8. O'Hare, D. and R.J. Chilvers, *Arterial blood sampling practices in intensive care units in England and Wales*. Anaesthesia, 2001. 56(6): p. 568-71.
9. Low, L.L., G.R. Harrington, and D.P. Stoltzfus, *The effect of arterial lines on blood-drawing practices and costs in intensive care units*. Chest, 1995. 108(1): p. 216-9.
10. Yucha, C.B. and E. DeAngelo, *The minimum discard volume: accurate analysis of peripheral hematocrit*. J Intraven Nurs, 1996. 19(3): p. 141-6.
11. Keller, C.A., *Methods of drawing blood samples through central venous catheters in pediatric patients undergoing bone marrow transplant: results of a national survey*. Oncol Nurs Forum, 1994. 21(5): p. 879-84.
12. Holmes, K.R., *Comparison of push-pull versus discard method from central venous catheters for blood testing*. J Intraven Nurs, 1998. 21(5): p. 282-5.
13. Walrath, J.M., et al., *Stopcock: bacterial contamination in invasive monitoring systems*. Heart Lung, 1979. 8(1): p. 100-4.
14. Shinozaki, T., et al., *Bacterial contamination of arterial lines. A prospective study*. JAMA, 1983. 249(2): p. 223-5.
15. Thorpe, S. and A.N. Thomas, *The use of a blood conservation pressure transducer system in critically ill patients*. Anaesthesia, 2000. 55(1): p. 27-31.
16. Oto, J., et al., *Comparison of bacterial contamination of blood conservation system and stopcock system arterial sampling*. American Journal of Infection Control, 2012. 40(6): p. 530-4.
17. Thavendiranathan, P., et al., *Do blood tests cause anemia in hospitalized patients? The effect of diagnostic phlebotomy on hemoglobin and hematocrit levels*. Journal of general internal medicine, 2005. 20(6): p. 520-4.
18. Salisbury, A.C., et al., *Diagnostic blood loss from phlebotomy and hospital-acquired anemia during acute myocardial infarction*. Archives of internal medicine, 2011. 171(18): p. 1646-53.
19. Chant, C., G. Wilson, and J.O. Friedrich, *Anemia, transfusion, and phlebotomy practices in critically ill patients with prolonged ICU length of stay: a cohort study*. Critical care, 2006. 10(5): p. R140.
20. Lin, J.C., et al., *Phlebotomy overdraw in the neonatal intensive care nursery*. Pediatrics, 2000. 106(2): p. E19.
21. Peruzzi, W.T., et al., *A clinical evaluation of a blood conservation device in medical intensive care unit patients*. Critical care medicine, 1993. 21(4): p. 501-6.
22. Page, C., A. Retter, and D. Wyncoll, *Blood conservation devices in critical care: a narrative review*. Annals of intensive care, 2013. 3(1): p. 14.
23. Corwin, H.L., K.C. Parsonnet, and A. Gettinger, *RBC transfusion in the ICU. Is there a reason?* Chest, 1995. 108(3): p. 767-71.
24. Bateman, S.T., et al., *Anemia, blood loss, and blood transfusions in North American children in the intensive care unit*. Am J Respir Crit Care Med, 2008. 178(1): p. 26-33.
25. Corwin, H.L., et al., *The CRIT Study: Anemia and blood transfusion in the critically ill – current clinical practice in the United States*. Critical care medicine, 2004. 32(1): p. 39-52.
26. MacIsaac, C.M., et al., *The influence of a blood conserving device on anemia in intensive care patients*. Anaesth Intensive Care, 2003. 31(6): p. 653-7.
27. Mahdy, S., et al., *Evaluation of a blood conservation strategy in the intensive care unit: a prospective, randomised study*. Middle East J Anesthesiol, 2009. 20(2): p. 219-23.
28. Rezende E, F.M., Manoel Da Silva Junior J, et al, *Closed system for blood sampling and transfusion in critically ill patients*. Rev Bras Ter Intensiva, 2010. 22: p. 5-10.
29. Mukhopadhyay, A., et al., *The use of a blood conservation device to reduce red blood cell transfusion requirements: a before and after study*. Critical care, 2010. 14(1): p. R7.
30. Hare, G.M., J. Freedman, and C. David Mazer, *Review article: risks of anemia and related management strategies: can perioperative blood management improve patient safety?* Can J Anaesth, 2013. 60(2): p. 168-75.
31. Rudis, M.I., et al., *Managing anemia in the critically ill patient*. Pharmacotherapy, 2004. 24(2): p. 229-47.
32. De Gaudio, A.R. and A. Di Filippo, *Device-related infections in critically ill patients. Part I: Prevention of catheter-related bloodstream infections*. J Chemother, 2003. 15(5): p. 419-27.
33. Crow, S., et al., *Microbial contamination of arterial infusions used for hemodynamic monitoring: a randomized trial of contamination with sampling through conventional stopcocks versus a novel closed system*. Infection control and hospital epidemiology: the official journal of the Society of Hospital Epidemiologists of America, 1989. 10(12): p. 557-61.
34. Moron N., J.E., Moreno I., Lazaro A., *Dispositivo VAMP Beneficis para el paciente critico*. Rev ROL Enf, 2003. 26(9): p. 591-594.
35. Shander, A., et al., *Activity-based costs of blood transfusions in surgical patients at four hospitals*. Transfusion, 2010. 50(4): p. 753-65.
36. Society for the Advancement of Blood Management, Professional Definition of Patient Blood Management (PBM) on homepage, <http://sabm.org>, retrieved April 17, 2015.
37. Society for the Advancement of Blood Management®. SABM Administrative and Clinical Standards for Patient Blood Management Programs, 3rd Edition. Unpublished work © 2014.
38. Shander, A., et al., *Estimating the cost of blood: past, present, and future directions*. Best Practice & Research Clinical Anaesthesiology, 2007. Vol 21, No. 2, p. 271-289. doi:10.1016/j.bpa.2007.01.002
39. Tang, M., et al. *Closed Blood Conservation Device for Reducing Catheter-Related Infections in Children After Cardiac Surgery*. Crit Care Nurse, 2014. Oct;34(5):53-60. doi:10.4037/ccn2014416.
40. CMS.gov Centers for Medicare & Medicaid Services. *Hospital-Acquired Condition (HAC) Reduction Program*. <https://www.qualitynet.org/dcs/ContentServer?c=Page&pagename=QnetPublic%2FQnetTier2&cid=1228774189166>

Edwards, Edwards Lifesciences, and the stylized E logo are trademarks of Edwards Lifesciences Corporation or its affiliates. All other trademarks are the property of their respective owners.

© 2016 Edwards Lifesciences Corporation. All rights reserved. PP--US-0834

Edwards Lifesciences • One Edwards Way, Irvine CA 92614 USA • edwards.com



Edwards