


## Transpulmonary Thermodilution TPTD



**For professional use. CAUTION: Federal (United States) law restricts this device to sale by or on the order of a physician. See instructions for use for full prescribing information, including indications, contraindications, warnings, precautions and adverse events.**

Edwards Lifesciences devices placed on the European market meeting the essential requirements referred to in Article 3 of the Medical Device Directive 93/42/ECC bear the GE marking of conformity.

Edwards, Edwards Lifesciences, and the stylized E logo are trademarks of Edwards Lifesciences Corporation.

© 2015 Edwards Lifesciences Corporation.  
All rights reserved. ENP98/10-15/CC

Edwards Lifesciences | [edwards.com](http://edwards.com)  
Irvine, California 92614 USA



## Normal Hemodynamic Parameters and Laboratory Values

### Normal Hemodynamic Parameters – Adult

PARAMETER	EQUATION	NORMAL RANGE
Arterial Oxygen Saturation (SaO <sub>2</sub> )		95-100%
Mixed Venous Saturation (SvO <sub>2</sub> )		60-80%
Central Venous Oxygen Saturation (ScvO <sub>2</sub> )		70%
Arterial Blood Pressure (BP)	Systolic (SBP) Diastolic (DBP)	100-140 mmHg 60-90 mmHg
Mean Arterial Pressure (MAP)	SBP + (2 x DBP)/3	70-105 mmHg
Right Atrial Pressure (RAP)		
Central Venous Pressure (CVP)		2-6 mmHg
Right Ventricular Pressure (RVP)	Systolic (RVSP) Diastolic (RVDP)	15-30 mmHg 0-8 mmHg
Pulmonary Artery Pressure (PAP)	Systolic (PASP) Diastolic (PADP)	15-30 mmHg 8-15 mmHg
Mean Pulmonary Artery Pressure (MPAP)	PASP + (2 x PADP)/3	9-18 mmHg
Pulmonary Artery Occlusion Pressure (PAOP)		6-12 mmHg
Left Atrial Pressure (LAP)		4-12 mmHg
Cardiac Output (CO)	HR x SV/1000	4.0-8.0 L/min
Cardiac Index (CI)	CO/BSA	2.5-4.0 L/min/m <sup>2</sup>
Stroke Volume (SV)	CO/HR x 1000	60-100 mL/beat
Stroke Volume Index (SVI)	CI/HR x 1000	33-47 mL/m <sup>2</sup> /beat
Stroke Volume Variation (SVV)	(SV <sub>max</sub> - SV <sub>min</sub> )/SV <sub>mean</sub> x 100	10-15%
Systemic Vascular Resistance (SVR)	80 x (MAP - RAP)/CO	800-1200 dynes-sec/cm <sup>-5</sup>
Systemic Vascular Resistance Index (SVRI)	80 x (MAP - RAP)/CI	1970-2390 dynes-sec/cm <sup>-5</sup> /m <sup>2</sup>
Pulmonary Vascular Resistance (PVR)	80 x (MPAP - PAOP)/CO	<250 dynes-sec/cm <sup>-5</sup>
Pulmonary Vascular Resistance Index (PVRI)	80 x (MPAP - PAOP)/CI	255-285 dynes-sec/cm <sup>-5</sup> /m <sup>2</sup>



## Normal Hemodynamic Parameters – Adult

PARAMETER	EQUATION	NORMAL RANGE
Coronary Artery Perfusion Pressure (CPP)	Diastolic BP-PAOP	60-80 mmHg
Right Ventricular End-Diastolic Volume (RVEDV)	SV/EF	100-160 mL
Right Ventricular End-Diastolic Volume Index (RVEDVI)	RVEDV/BSA	60-100 mL/m <sup>2</sup>
Right Ventricular End-Systolic Volume (RVESV)	EDV-SV	50-100 mL
Right Ventricular Ejection Fraction (RVEF)	SV/EDV x 100	40-60%
Arterial Oxygen Content (CaO <sub>2</sub> )	$(0.0138 \times \text{Hgb} \times \text{SaO}_2) + 0.0031 \times \text{PaO}_2$	16-22 mL/dL
Venous Oxygen Content (CvO <sub>2</sub> )	$(0.0138 \times \text{Hgb} \times \text{SvO}_2) + 0.0031 \times \text{PvO}_2$	15 mL/dL
A-V Oxygen Content Difference (C(a-v)O <sub>2</sub> )	CaO <sub>2</sub> - CvO <sub>2</sub>	4-6 mL/dL
Oxygen Delivery (DO <sub>2</sub> )	CaO <sub>2</sub> x CO x 10	950-1150 mL/min
Oxygen Delivery Index (DO <sub>2</sub> I)	CaO <sub>2</sub> x CI x 10	500-600 mL/min/m <sup>2</sup>
Oxygen Consumption (VO <sub>2</sub> )	C(a - v) O <sub>2</sub> x CO x 10	200-250 mL/min
Oxygen Consumption Index (VO <sub>2</sub> I)	C(a - v) O <sub>2</sub> x CI x 10	120-160 mL/min/m <sup>2</sup>
Oxygen Extraction Ratio (O <sub>2</sub> ER)	$(\text{CaO}_2 - \text{CvO}_2) / \text{CaO}_2 \times 100$	22-30%
Oxygen Extraction Index (O <sub>2</sub> EI)	$(\text{SaO}_2 - \text{SvO}_2) / \text{SaO}_2 \times 100$	20-25%

## Normal Blood Laboratory Values

TEST	CONVENTIONAL UNITS (Reference Values*)	SI UNITS
Hematocrit (Hct)	Males: 42-52%	0.42-0.52
	Females: 36-48%	0.36-0.48
Hemoglobin (Hgb)	Males: 12.4-17.4 g/dL	124-174 g/L
	Females: 11.7-16 g/dL	117-160 g/L
Lactate	0.93-1.65 mEq/L	0.93-1.65 mmol/L

SI Units = International Units

\*Reference Values vary by regional laboratory techniques and methods.

## Normal Hemodynamic Parameters – Adult

PARAMETER	EQUATION	NORMAL RANGE
Extra Vascular Lung Water (EVLW)	CO x DST - 0.25 GEDV	
Extra Vascular Lung Water Index (ELWI)	EVLW/PBW Predicted Body Weight (PBW): Female: 45.5 + 0.91 x (Height-152.4) Male: 50 + 0.91 x (Height-152.4)	3-7 mL/kg
Global End Diastolic Volume (GEDV)	CO x MTt x f(S1/S2)	
Global End Diastolic Volume Index (GEDI)	CI x MTt x f(S1/S2)	680-800 mL/m <sup>2</sup>
Global Ejection Fraction (GEF)	SV x 4 / GEDV	>20%
Cardiac Function Index (CFI)	1000 x CO / GEDV	4.5-6.5 l/min
Intra Thoracic Blood Volume (ITBV)	ITBV = 1.25 x GEDV	
Intra Thoracic Blood Volume Index (ITBI)	ITBI = 1.25 x GEDI	850-1000 mL/m <sup>2</sup>
Pulmonary Vascular Permeability Index (PVPI)	EVLW/0.25 x GEDV	<3
Cardiac Power (CPO)	CO x MAP x K	
Cardiac Power Index (CPI)	CI x MAP x K	0.5-0.7 W/m <sup>2</sup>

## Physio-Relationship

